

Quantifying COVID-19-related excess mortality in Latin America: Demographic analyses of death registration data



Jenny García Institut National d'Études Démographiques

July 17th 2020

What are the essential issues when analyzing the COVID-19 data?

Key issues in COVID-19 data at sub-national level in Brazil and Ecuador

Key issues	Brazil Civil registry data: https://transparencia.registrocivil.org.br/especial-covid	Ecuador Ministry of Health data: https://www.salud.gob.ec/coronavirus-covid-19/
Date of reference	Occurrence, registration and publication	Publication
Place of death coverage	All COVID-19 deaths	Only COVID-19 deaths occurring in hospitals
COVID-19 definition	Underlying cause of death	Laboratory confirmation
Magnitude and dynamics	Daily and cumulative death counts (updated daily)	Cumulative death counts (updated intermittently)
Sub-population disparities	Geographical disparities in the distribution of health services	Age-biased reporting patterns

*Seven data-related key issues, Institut national d'études démographiques (Ined). https://dc-covid.site.ined.fr/fr


Obstacles overcame by Lima et al. when quantifying COVID-19-related excess mortality in Latin America

- 1. COVID-19 related deaths definition and confirmation, and their changes through the pandemic evolution.
- 2. The under-registration coming from limited number of COVID-19 tests per capita and focalized testing strategy (e.g., only after symptoms).
- 3. Coverage in COVID-19 death counts linked to the place of death (e.g. only accounting by health care facilities data).
- 4. Spatial differences in the coverage of the Civil Registration and the Vital Statistical Systems in each country.


Challenges when quantifying COVID-19-related excess mortality in Latin America at subnational levels

Challenges	Considerations
Variability in registration time lag among subnational areas	Timing of data collection

All-cause cumulated death counts in Ecuador and Guayas from March to June by date of report



All-cause cumulated death counts in Ecuador and Guayas from March to June by date of report



Challenges when quantifying COVID-19-related excess mortality in Latin America at subnational levels

Challenges	Considerations
Variability in registration time lag among subnational areas	Timing of data collection
Difference between place of residence of the deceased and place of occurrence	Usual proportion of this difference in the largest cities / small areas Migration